

FIGURE 1

NORMAL/LFA-1 DEFICIENT CELL  
ADHESION





FIGURE 2

155943

NORMAL/NORMAL CELL  
ADHESION







FIGURE 4






FIGURE 5

$^{125}\text{I}$ -SPECIFIC BINDING (cpm  $\times 10$ )





FIGURE 6

$^{125}\text{I}$ -SPECIFIC BINDING (cpm  $\times 10^{-3}$ )



**FIGURE 8.**

[illegible]

FIGURE 9







FIGURE 10









Figure 11 LFA-1 positive EBV-transformed B-lymphoblastoid cells bind to ICAM-1 in planar membranes.




**Figure 12** LFA-1 positive T-Lymphoblasts and T-lymphoma cells bind to ICAM-1 in plastic-bound vesicles.



**Figure 13** Inhibition of binding of JY B-lymphoblastoid cell binding to ICAM-1 in plastic-bound vesicles by pretreatment of cells or vesicles with monoclonal antibodies.



**Figure 14** Effect of temperature on binding of T-lymphoblasts to ICAM-1 in plastic-bound vesicles.



**Figure 15** Divalent cation requirement for binding of T-lymphoblasts to ICAM-1 in plastic-bound vesicles.

FIGURE 16 THE EFFECT OF ANTI-ADHESION ANTIBODY ON THE OKT3 INDUCED PROLIFERATION OF HUMAN PERIPHERAL BLOOD MONONUCLEAR CELLS




FIGURE 17 THE EFFECT OF ANTI-ADHESION ANTIBODY  
ON THE CONCAVALIN A INDUCED PROLIFERATION OF HUMAN  
PERIPHERAL BLOOD MONONUCLEAR CELLS







FIGURE 18 THE EFFECT OF ANTI-ADHESION ANTIBODY  
ON THE KLH INDUCED PROLIFERATION OF HUMAN PERIPHERAL  
BLOOD MONONUCLEAR CELLS



**FIGURE 19 THE EFFECT OF ANTI-ADHESION ANTIBODY  
ON THE TETANUS TOXOID INDUCED PROLIFERATION OF HUMAN  
PERIPHERAL BLOOD MONONUCLEAR CELLS**

